



3EC International a.s., Hraničná 18, 821 05 Bratislava, Slovakia
Notified Body No. 2265

EC DESIGN-EXAMINATION CERTIFICATE

No. 2019-MDD/DE-057

issued in compliance with the Council Directive 93/42/EEC as amended 2007/47/EC, which is implemented by the Slovak Government Decree No. 582/2008 Coll. as amended by 215/2013 Coll., certifies that the design of medical device of Class III,

**Sirolimus Drug Eluting Cobalt Chromium Coronary Stent
Mounted on PTCA Balloon Catheter**
Brand Name: RAPSTROM, AKOS, RAPSTROM Elite
(for detailed list refer to Annex; pages 1 to 3)

manufactured by company

Vasmed Technologies Ltd FZC
Facility No. 116, Fujairah Free Zone, Fujairah, United Arab Emirates

conforms with the relevant provisions of Annex II.4 of the Directive 93/42/EEC on medical devices as transposed into national legislation. The device fulfils the essential requirements specified in Annex I of the Directive 93/42/EEC taking into account intended use of the device.

The Notified Body No. 2265 has performed a design-examination of the device according to Annex II.4 of the Directive 93/42/EEC. The detailed device description, design dossier and evaluation of the examination are presented in the Final protocol No. 310388/2019.

This certificate is issued under the following conditions:

It applies only to the design of the above referenced model of the medical device and it does not imply the Notified Body executed any surveillance or control of its manufacture. The manufacturer is obligated to assure that all medical devices of the respective model conform to the type whose design has been approved by this certificate. The certificate remains valid until the approved design is changed but till May 26th, 2024 at the latest. This EC design-examination certificate is complementary to an EC Certificate, approving the manufacturer's quality system according to the Directive 93/42/EEC as amended by 2007/47/EC, Annex II (excluding 4).



Dr. Katarína Tomin Srdošová
Responsible to act on behalf of NB 2265

In Bratislava, on October 9th, 2019



ANNEX TO EC DESIGN-EXAMINATION CERTIFICATE No. 2019-MDD/DE-057

issued for the company

Vasmed Technologies Ltd FZC
Facility No. 116, Fujairah Free Zone, Fujairah, United Arab Emirates

List of medical devices covered by the EC Design-Examination Certificate:

Brand Name: RAPSTROM

Reference Number	Stent Diameter	Stent Length	Nominal Sirolimus Content (μg)	Reference Number	Stent Diameter	Stent Length	Nominal Sirolimus Content (μg)
VM-VTR-250-08	2.50 mm	8 mm	48 μg	VM-VTR-250-28	2.50 mm	28 mm	158 μg
VM-VTR-275-08	2.75 mm	8 mm	48 μg	VM-VTR-275-28	2.75 mm	28 mm	158 μg
VM-VTR-300-08	3.00 mm	8 mm	48 μg	VM-VTR-300-28	3.00 mm	28 mm	158 μg
VM-VTR-325-08	3.25 mm	8 mm	58 μg	VM-VTR-325-28	3.25 mm	28 mm	193 μg
VM-VTR-350-08	3.50 mm	8 mm	58 μg	VM-VTR-350-28	3.50 mm	28 mm	193 μg
VM-VTR-375-08	3.75 mm	8 mm	58 μg	VM-VTR-375-28	3.75 mm	28 mm	193 μg
VM-VTR-400-08	4.00 mm	8 mm	58 μg	VM-VTR-400-28	4.00 mm	28 mm	193 μg
VM-VTR-250-13	2.50 mm	13 mm	78 μg	VM-VTR-250-33	2.50 mm	33 mm	186 μg
VM-VTR-275-13	2.75 mm	13 mm	78 μg	VM-VTR-275-33	2.75 mm	33 mm	186 μg
VM-VTR-300-13	3.00 mm	13 mm	78 μg	VM-VTR-300-33	3.00 mm	33 mm	186 μg
VM-VTR-325-13	3.25 mm	13 mm	95 μg	VM-VTR-325-33	3.25 mm	33 mm	220 μg
VM-VTR-350-13	3.50 mm	13 mm	95 μg	VM-VTR-350-33	3.50 mm	33 mm	220 μg
VM-VTR-375-13	3.75 mm	13 mm	95 μg	VM-VTR-375-33	3.75 mm	33 mm	220 μg
VM-VTR-400-13	4.00 mm	13 mm	95 μg	VM-VTR-400-33	4.00 mm	33 mm	220 μg
VM-VTR-250-18	2.50 mm	18 mm	98 μg	VM-VTR-250-38	2.50 mm	38 mm	215 μg
VM-VTR-275-18	2.75 mm	18 mm	98 μg	VM-VTR-275-38	2.75 mm	38 mm	215 μg
VM-VTR-300-18	3.00 mm	18 mm	98 μg	VM-VTR-300-38	3.00 mm	38 mm	215 μg
VM-VTR-325-18	3.25 mm	18 mm	120 μg	VM-VTR-325-38	3.25 mm	38 mm	262 μg
VM-VTR-350-18	3.50 mm	18 mm	120 μg	VM-VTR-350-38	3.50 mm	38 mm	262 μg
VM-VTR-375-18	3.75 mm	18 mm	120 μg	VM-VTR-375-38	3.75 mm	38 mm	262 μg
VM-VTR-400-18	4.00 mm	18 mm	120 μg	VM-VTR-400-38	4.00 mm	38 mm	262 μg
VM-VTR-250-23	2.50 mm	23 mm	128 μg				
VM-VTR-275-23	2.75 mm	23 mm	128 μg				
VM-VTR-300-23	3.00 mm	23 mm	128 μg				
VM-VTR-325-23	3.25 mm	23 mm	156 μg				
VM-VTR-350-23	3.50 mm	23 mm	156 μg				
VM-VTR-375-23	3.75 mm	23 mm	156 μg				
VM-VTR-400-23	4.00 mm	23 mm	156 μg				

Page 1 of 3



Dr. Katarina Tomín Srdošová
Responsible to act on behalf of NB 2265

In Bratislava, on October 9th, 2019
Valid until May 26th, 2024



ANNEX TO EC DESIGN-EXAMINATION CERTIFICATE No. 2019-MDD/DE-057

issued for the company


Vasmed Technologies Ltd FZC
Facility No. 116, Fujairah Free Zone, Fujairah, United Arab Emirates

List of medical devices covered by the EC Design-Examination Certificate:

Brand Name: AKOS

Reference Number	Stent Diameter	Stent Length	Nominal Sirolimus Content (μg)	Reference Number	Stent Diameter	Stent Length	Nominal Sirolimus Content (μg)
VM-VTA-250-08	2.50 mm	8 mm	48 μg	VM-VTA-250-28	2.50 mm	28 mm	158 μg
VM-VTA-275-08	2.75 mm	8 mm	48 μg	VM-VTA-275-28	2.75 mm	28 mm	158 μg
VM-VTA-300-08	3.00 mm	8 mm	48 μg	VM-VTA-300-28	3.00 mm	28 mm	158 μg
VM-VTA-325-08	3.25 mm	8 mm	58 μg	VM-VTA-325-28	3.25 mm	28 mm	193 μg
VM-VTA-350-08	3.50 mm	8 mm	58 μg	VM-VTA-350-28	3.50 mm	28 mm	193 μg
VM-VTA-375-08	3.75 mm	8 mm	58 μg	VM-VTA-375-28	3.75 mm	28 mm	193 μg
VM-VTA-400-08	4.00 mm	8 mm	58 μg	VM-VTA-400-28	4.00 mm	28 mm	193 μg
VM-VTA-250-13	2.50 mm	13 mm	78 μg	VM-VTA-250-33	2.50 mm	33 mm	186 μg
VM-VTA-275-13	2.75 mm	13 mm	78 μg	VM-VTA-275-33	2.75 mm	33 mm	186 μg
VM-VTA-300-13	3.00 mm	13 mm	78 μg	VM-VTA-300-33	3.00 mm	33 mm	186 μg
VM-VTA-325-13	3.25 mm	13 mm	95 μg	VM-VTA-325-33	3.25 mm	33 mm	220 μg
VM-VTA-350-13	3.50 mm	13 mm	95 μg	VM-VTA-350-33	3.50 mm	33 mm	220 μg
VM-VTA-375-13	3.75 mm	13 mm	95 μg	VM-VTA-375-33	3.75 mm	33 mm	220 μg
VM-VTA-400-13	4.00 mm	13 mm	95 μg	VM-VTA-400-33	4.00 mm	33 mm	220 μg
VM-VTA-250-18	2.50 mm	18 mm	98 μg	VM-VTA-250-38	2.50 mm	38 mm	215 μg
VM-VTA-275-18	2.75 mm	18 mm	98 μg	VM-VTA-275-38	2.75 mm	38 mm	215 μg
VM-VTA-300-18	3.00 mm	18 mm	98 μg	VM-VTA-300-38	3.00 mm	38 mm	215 μg
VM-VTA-325-18	3.25 mm	18 mm	120 μg	VM-VTA-325-38	3.25 mm	38 mm	262 μg
VM-VTA-350-18	3.50 mm	18 mm	120 μg	VM-VTA-350-38	3.50 mm	38 mm	262 μg
VM-VTA-375-18	3.75 mm	18 mm	120 μg	VM-VTA-375-38	3.75 mm	38 mm	262 μg
VM-VTA-400-18	4.00 mm	18 mm	120 μg	VM-VTA-400-38	4.00 mm	38 mm	262 μg
VM-VTA-250-23	2.50 mm	23 mm	128 μg				
VM-VTA-275-23	2.75 mm	23 mm	128 μg				
VM-VTA-300-23	3.00 mm	23 mm	128 μg				
VM-VTA-325-23	3.25 mm	23 mm	156 μg				
VM-VTA-350-23	3.50 mm	23 mm	156 μg				
VM-VTA-375-23	3.75 mm	23 mm	156 μg				
VM-VTA-400-23	4.00 mm	23 mm	156 μg				

Page 2 of 3



Dr. Katarina Tomin Srdošová
Responsible to act on behalf of NB 2265

In Bratislava, October 9th, 2019
Valid until May 26th, 2024



ANNEX TO EC DESIGN-EXAMINATION CERTIFICATE No. 2019-MDD/DE-057

issued for the company

Vasmed Technologies Ltd FZC
Facility No. 116, Fujairah Free Zone, Fujairah, United Arab Emirates

List of medical devices covered by the EC Design-Examination Certificate:

Brand Name: RAPSTROM Elite

Reference Number	Stent Diameter	Stent Length	Nominal Sirolimus Content (μg)	Reference Number	Stent Diameter	Stent Length	Nominal Sirolimus Content (μg)
VM-VTE-250-08	2.50 mm	8 mm	48 μg	VM-VTE-250-28	2.50 mm	28 mm	158 μg
VM-VTE-275-08	2.75 mm	8 mm	48 μg	VM-VTE-275-28	2.75 mm	28 mm	158 μg
VM-VTE-300-08	3.00 mm	8 mm	48 μg	VM-VTE-300-28	3.00 mm	28 mm	158 μg
VM-VTE-325-08	3.25 mm	8 mm	58 μg	VM-VTE-325-28	3.25 mm	28 mm	193 μg
VM-VTE-350-08	3.50 mm	8 mm	58 μg	VM-VTE-350-28	3.50 mm	28 mm	193 μg
VM-VTE-375-08	3.75 mm	8 mm	58 μg	VM-VTE-375-28	3.75 mm	28 mm	193 μg
VM-VTE-400-08	4.00 mm	8 mm	58 μg	VM-VTE-400-28	4.00 mm	28 mm	193 μg
VM-VTE-250-13	2.50 mm	13 mm	78 μg	VM-VTE-250-33	2.50 mm	33 mm	186 μg
VM-VTE-275-13	2.75 mm	13 mm	78 μg	VM-VTE-275-33	2.75 mm	33 mm	186 μg
VM-VTE-300-13	3.00 mm	13 mm	78 μg	VM-VTE-300-33	3.00 mm	33 mm	186 μg
VM-VTE-325-13	3.25 mm	13 mm	95 μg	VM-VTE-325-33	3.25 mm	33 mm	220 μg
VM-VTE-350-13	3.50 mm	13 mm	95 μg	VM-VTE-350-33	3.50 mm	33 mm	220 μg
VM-VTE-375-13	3.75 mm	13 mm	95 μg	VM-VTE-375-33	3.75 mm	33 mm	220 μg
VM-VTE-400-13	4.00 mm	13 mm	95 μg	VM-VTE-400-33	4.00 mm	33 mm	220 μg
VM-VTE-250-18	2.50 mm	18 mm	98 μg	VM-VTE-250-38	2.50 mm	38 mm	215 μg
VM-VTE-275-18	2.75 mm	18 mm	98 μg	VM-VTE-275-38	2.75 mm	38 mm	215 μg
VM-VTE-300-18	3.00 mm	18 mm	98 μg	VM-VTE-300-38	3.00 mm	38 mm	215 μg
VM-VTE-325-18	3.25 mm	18 mm	120 μg	VM-VTE-325-38	3.25 mm	38 mm	262 μg
VM-VTE-350-18	3.50 mm	18 mm	120 μg	VM-VTE-350-38	3.50 mm	38 mm	262 μg
VM-VTE-375-18	3.75 mm	18 mm	120 μg	VM-VTE-375-38	3.75 mm	38 mm	262 μg
VM-VTE-400-18	4.00 mm	18 mm	120 μg	VM-VTE-400-38	4.00 mm	38 mm	262 μg
VM-VTE-250-23	2.50 mm	23 mm	128 μg				
VM-VTE-275-23	2.75 mm	23 mm	128 μg				
VM-VTE-300-23	3.00 mm	23 mm	128 μg				
VM-VTE-325-23	3.25 mm	23 mm	156 μg				
VM-VTE-350-23	3.50 mm	23 mm	156 μg				
VM-VTE-375-23	3.75 mm	23 mm	156 μg				
VM-VTE-400-23	4.00 mm	23 mm	156 μg				

Page 3 of 3



Dr. Katarina Tomin Srdošová
Responsible to act on behalf of NB 2265

In Bratislava, on October 9th, 2019
Valid until May 26th, 2024